Arrowsmith Reservoir Weekly Report - Oct. 14 to Oct. 20, 2024 - page 1

REPORT SUMMARY

Arrowsmith Dam Reservoir Lake Level (Oct. 20):	811.0	m
Arrowsmith Dam Reservoir Volume (estimate):	2,300,000	m^3
Average Dam Release Rate (Oct. 14 - Oct. 20):	0.42	m³/s
Dam Total Released Volume (Oct. 14 - Oct. 20):	218,295	m ³
Average Englishman River Baseflow (Oct. 14 - Oct. 20):	11.9	m³/s
Average Hydrometric Gauge 08HB002 Flow (Oct. 14 - Oct. 20):	12.2	m³/s
Average ERWS Intake Withdrawl Flow (Oct. 14 - Oct. 20):	0.06	m³/s
Snow Depth Telemetry 3B26P (Oct. 20):	0	cm
Total Rainfall at Public Works Yard (Oct. 14 - Oct. 20):	82.2	mm
Average Water Temperature Entering WTP (Oct. 14 - Oct. 18):	10.9	°C


Comments:

Order to reduce flows in Englishman River received July 16.


Atmospheric River Oct. 18-20: 72.4mm of rain at PWY during advisory.

Water treatment plant off since early Saturday morning (Oct. 19) due to atmospheric river. No flow available to measure temperature on the 19th and 20th.

Hydrometric Gauge (08HB002)




Englishman River and ERWS Intake Flows & Arrowsmith Dam Flow and Volume



Arrowsmith Reservoir Weekly Report - Oct. 14 to Oct. 20, 2024 - page 2 **Englishman River Turbidity and Temperature Arrowsmith Dam Lake Level** ——Average Turbidity (Old River Intake) ——Average Temperature (Raw water line entering WTP) 40.00 825.0 35.00 12.50 30.00 12.00 (NJ) 25.00 Ajj 20.00 11.50 등 11.00 E 15.00 10.50 10.00 10.00 5.00 9.50 0.00 9.00 Transducer data unavailable - 2023 ----- Historical Maximum 2003-2023 ----- Historical Minimum 2003-2023 ----- Average 2003 to 2023 805.0





<u>Mon</u> 21 Oct	Tue 22 Oct	Wed 23 Oct	Thu 24 Oct	Fri 25 Oct	Sat 26 Oct	Sun 27 Oct
12°C	10°C	10°C	10°C	10°C	12°C	11°C
40% Chance of showers	A mix of sun and cloud	Sunny	A mix of sun and cloud	Cloudy	Showers	60% Chance of showers
Tonight	Night	Night	Night	Night	Night	
7°C	5°C	5°C	5°C	8°C	6°C	
Chance of showers	Cloudy periods	Clear	Clear	Periods of rain	Showers	



Government Gouvernement