



CERTIFICATE OF ANALYSIS

REPORTED TO Parksville, City of

P O Box 1390, 100 Jensen Avenue East

Parksville, BC V9P 2H3

ATTENTION Barbara Silenieks

PO NUMBER 003464

PROJECT 361341 - THM Quarterly (Island Health)

PROJECT INFO

WORK ORDER 9052505

RECEIVED / TEMP 2019-05-28 08:50 / 14°C

REPORTED 2019-05-29 14:24

COC NUMBER B68476

Introduction:

CARO Analytical Services is a testing laboratory full of smart, engaged scientists driven to make the world a safer and healthier place. Through our clients' projects we become an essential element for a better world. We employ methods conducted in accordance with recognized professional standards using accepted testing methodologies and quality control efforts. CARO is accredited by the Canadian Association for Laboratories Accreditation (CALA) to ISO 17025:2005 for specific tests listed in the scope of accreditation approved by CALA.

Big Picture Sidekicks



We've Got Chemistry



Ahead of the Curve



You know that the sample you collected after snowshoeing to site, digging 5 meters, and racing to get it on a plane so you can submit it to the lab for time sensitive results needed to make important and expensive decisions (whew) is VERY important. We know that too.

It's simple. We figure the more you enjoy working with our fun and engaged team members; the more likely you are to give us continued opportunities to support you.

Through research, regulation knowledge, and instrumentation, we are your analytical centre for the technical knowledge you need, BEFORE you need it, so you can stay up to date and in the know.

If you have any questions or concerns, please contact me at bshaw@caro.ca

Authorized By:

Bryan Shaw, Ph.D., P.Chem. Client Service Coordinator

1-888-311-8846 | www.caro.ca



TEST RESULTS

Reported Result Guideline RL Units Analyzed Qualiformal								
Community Park (9052505-01) Matrix: Water Sampled: 2019-05-27 09:20 Sampled: 2019-05-27 09:20 Sampled: 2019-05-27 09:20 Sampled: 2019-05-28	REPORTED TO PROJECT	•	erly (Island Health)					9 14:24
Calculated Parameters Total Trihalomethanes 0.0156 N/A 0.00400 mg/L N/A Volatile Organic Compounds (VOC) Bromodichloromethane 0.0013 N/A 0.0010 mg/L 2019-05-28 Bromodorm < 0.0010 N/A 0.0010 mg/L 2019-05-28 Chloroform < 0.0143 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane < 0.0010 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane < 0.0010 N/A 0.0010 mg/L 2019-05-28 Surrogate: 4-Bromofluorobenzene 105 70-130 % 2019-05-28 **Calculated Parameters Total Trihalomethanes 0.00830 N/A 0.0040 mg/L N/A Volatile Organic Compounds (VOC) ***Bromoform 0.0016 N/A 0.0010 mg/L 2019-05-28 Bromodorm 0.0012 N/A 0.0010 mg/L 2019-05-28 Chloroform 0.0024 N/A 0.0010 mg/L	Analyte	nalyte		Guideline	RL	Units	Analyzed	Qualifie
Total Trihalomethanes	Community Park	(9052505-01) Matrix:	Water Sampled: 20	019-05-27 09:20				
Notatile Organic Compounds (VOC) Bromodichloromethane 0.0013 N/A 0.0010 mg/L 2019-05-28 Bromodichloromethane 0.0010 N/A 0.0010 mg/L 2019-05-28 2019-05-28 Dibromochloromethane 0.0013 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0010 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.00830 N/A 0.00400 mg/L N/A Dibromochloromethane 0.00830 N/A 0.00400 mg/L 2019-05-28 Dibromochloromethane 0.0016 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0012 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0012 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0024 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0014 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0014 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0014 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0010 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0010 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0010 N/A 0.0010 mg/L 2019-05-28 Dibromochloromethane 0.0014 N/A 0.0010 mg/L 20	Calculated Parame	ters						
Bromodichloromethane	Total Trihalometha	anes	0.0156	N/A	0.00400	mg/L	N/A	
Bromoform	Volatile Organic Co	ompounds (VOC)						
Bromoform	Bromodichlorome	thane	0.0013	N/A	0.0010	ma/l	2019-05-28	
Chicroform								
Dibromochloromethane								
Surrogate: Toluene-d8		thane						
Surrogate: 4-Bromofiluorobenzene 105 70-130 % 2019-05-28								
Calculated Parameters			105					
Volatile Organic Compounds (VOC)			ampled: 2019-05-27	09:30				
Volatile Organic Compounds (VOC)	Total Trihalometha	anes	0.00830	N/A	0.00400	ma/L	N/A	
Bromodichloromethane								
Bromoform 0.0012	_		0.0046	NI/A	0.0010	ma/l	2010 05 28	
Chloroform		unane						
Dibromochloromethane 0.0024 N/A 0.0010 mg/L 2019-05-28								
Surrogate: Toluene-d8		thana						
Surrogate: 4-Bromofluorobenzene 100 70-130 % 2019-05-28				IN/A				
Calculated Parameters								
Bromodichloromethane < 0.0010 N/A 0.0010 mg/L 2019-05-28	Calculated Parame	ters						
Bromodichloromethane			< 0.00400	N/A	0.00400	mg/L	N/A	
Bromoform	•	,	Z 0 0040	N1/A	0.0040	ma/l	2010 05 20	
Chloroform < 0.0010		mane						
Dibromochloromethane 0.0014 N/A 0.0010 mg/L 2019-05-28 Surrogate: Toluene-d8 114 70-130 % 2019-05-28 Surrogate: 4-Bromofluorobenzene 102 70-130 % 2019-05-28 Public Works (9052505-04) Matrix: Water Sampled: 2019-05-27 10:00 Calculated Parameters Total Trihalomethanes 0.0220 N/A 0.00400 mg/L N/A Volatile Organic Compounds (VOC) N/A								
Surrogate: Toluene-d8 114 70-130 % 2019-05-28 Surrogate: 4-Bromofluorobenzene 102 70-130 % 2019-05-28 Public Works (9052505-04) Matrix: Water Sampled: 2019-05-27 10:00 Calculated Parameters Total Trihalomethanes 0.0220 N/A 0.00400 mg/L N/A Volatile Organic Compounds (VOC)		thano						
Surrogate: 4-Bromofluorobenzene 102 70-130 % 2019-05-28 Public Works (9052505-04) Matrix: Water Sampled: 2019-05-27 10:00 Calculated Parameters Total Trihalomethanes 0.0220 N/A 0.00400 mg/L N/A Volatile Organic Compounds (VOC)				IN/A				
Public Works (9052505-04) Matrix: Water Sampled: 2019-05-27 10:00 Calculated Parameters Total Trihalomethanes 0.0220 N/A 0.00400 mg/L N/A Volatile Organic Compounds (VOC)								
Calculated Parameters Total Trihalomethanes 0.0220 N/A 0.00400 mg/L N/A Volatile Organic Compounds (VOC)	Surroyale. 4-DIOII	IOIIGOIODEIIZEIIE	102		10-130	70	2013-00-20	
Total Trihalomethanes 0.0220 N/A 0.00400 mg/L N/A Volatile Organic Compounds (VOC)	Public Works (90	52505-04) Matrix: Wat	ter Sampled: 2019-	-05-27 10:00				
Volatile Organic Compounds (VOC)	Calculated Parame	eters						
	Total Trihalometha	anes	0.0220	N/A	0.00400	mg/L	N/A	
Bromodichloromethane 0.0021 N/A 0.0010 mg/L 2019-05-28	Volatile Organic Co	ompounds (VOC)						
	Bromodichlorome	thane	0.0021	N/A	0.0010	mg/L	2019-05-28	



TEST RESULTS

REPORTED TO Parksville, City of WORK ORDER 9052505

PROJECT 361341 - THM Quarterly (Island Health) REPORTED 2019-05-29 14:24

	,		_	
Analyte	Result	Guideline	RL Units	Analyzed Qualifier
Public Works (9052505-04) Matrix: Wa	ter Sampled: 2019	-05-27 10:00, Cont	inued	
Volatile Organic Compounds (VOC), Contin	ued			
Bromoform	< 0.0010	N/A	0.0010 mg/L	2019-05-28
Chloroform	0.0199	N/A	0.0010 mg/L	2019-05-28
Dibromochloromethane	< 0.0010	N/A	0.0010 mg/L	2019-05-28
Surrogate: Toluene-d8	115		70-130 %	2019-05-28
Surrogate: 4-Bromofluorobenzene	104		70-130 %	2019-05-28



APPENDIX 1: SUPPORTING INFORMATION

Parksville, City of **REPORTED TO PROJECT**

361341 - THM Quarterly (Island Health)

WORK ORDER

9052505

2019-05-29 14:24 REPORTED

Analysis Description	Method Ref.	Technique	Location
Trihalomethanes in Water	EPA 5030B / EPA 8260D	Purge&Trap / GC-MSD (SIM)	Richmond

Glossary of Terms:

RL Reporting Limit (default)

< Less than the specified Reporting Limit (RL) - the actual RL may be higher than the default RL due to various factors

mg/L Milligrams per litre

EPA United States Environmental Protection Agency Test Methods

General Comments:

The results in this report apply to the samples analyzed in accordance with the Chain of Custody document. This analytical report must be reproduced in its entirety. CARO is not responsible for any loss or damage resulting directly or indirectly from error or omission in the conduct of testing. Liability is limited to the cost of analysis. Samples will be disposed of 30 days after the test report has been issued unless otherwise agreed to in writing.

Results in Bold indicate values that are above CARO's method reporting limits. Any results that are above regulatory limits are highlighted red. Please note that results will only be highlighted red if the regulatory limits are included on the CARO report. Any Bold and/or highlighted results do not take into account method uncertainty. If you would like method uncertainty or regulatory limits to be included on your report, please contact your Account Manager:bshaw@caro.ca



APPENDIX 2: QUALITY CONTROL RESULTS

REPORTED TO Parksville, City of

PROJECT 361341 - THM Quarterly (Island Health)

WORK ORDER

9052505

REPORTED 2019-05-29 14:24

The following section displays the quality control (QC) data that is associated with your sample data. Groups of samples are prepared in "batches" and analyzed in conjunction with QC samples that ensure your data is of the highest quality. Common QC types include:

- Method Blank (Blk): A blank sample that undergoes sample processing identical to that carried out for the test samples. Method blank results are used to assess contamination from the laboratory environment and reagents.
- **Duplicate (Dup)**: An additional or second portion of a randomly selected sample in the analytical run carried through the entire analytical process. Duplicates provide a measure of the analytical method's precision (reproducibility).
- Blank Spike (BS): A sample of known concentration which undergoes processing identical to that carried out for test samples, referred to as a laboratory control sample (LCS). Blank spikes provide a measure of the analytical method's accuracy.
- Matrix Spike (MS): A second aliquot of sample is fortified with with a known concentration of target analytes and carried through the entire analytical process. Matrix spikes evaluate potential matrix effects that may affect the analyte recovery.
- Reference Material (SRM): A homogenous material of similar matrix to the samples, certified for the parameter(s) listed.
 Reference Materials ensure that the analytical process is adequate to achieve acceptable recoveries of the parameter(s) tested.

Each QC type is analyzed at a 5-10% frequency, i.e. one blank/duplicate/spike for every 10-20 samples. For all types of QC, the specified recovery (% Rec) and relative percent difference (RPD) limits are derived from long-term method performance averages and/or prescribed by the reference method.

Analyte	Result	RL Units	Spike Level	Source Result	% REC	REC Limit	% RPD	RPD Limit	Qualifier
Volatile Organic Compounds (VOC),	Batch B9E2239								
Blank (B9E2239-BLK1)			d: 2019-0)5-28					
Bromodichloromethane	< 0.0010	0.0010 mg/L							
Bromoform	< 0.0010	0.0010 mg/L							
Chloroform	< 0.0010	0.0010 mg/L							
Dibromochloromethane	< 0.0010	0.0010 mg/L							
Surrogate: Toluene-d8	0.0286	mg/L	0.0262		109	70-130			
Surrogate: 4-Bromofluorobenzene	0.0258	mg/L	0.0250		103	70-130			
LCS (B9E2239-BS1)	8, Analyze	d: 2019-0)5-28						
Bromodichloromethane	0.0216	0.0010 mg/L	0.0202		107	70-130			
Bromoform	0.0179	0.0010 mg/L	0.0201		89	70-130			
Chloroform	0.0240	0.0010 mg/L	0.0201		119	70-130			
Dibromochloromethane	0.0207	0.0010 mg/L	0.0202		103	70-130			
Surrogate: Toluene-d8	0.0276	mg/L	0.0262		105	70-130			
Surrogate: 4-Bromofluorobenzene	0.0250	mg/L	0.0250		100	70-130			





1-8846

V6V 2K9 : V1X 5C3

3 T5S 1H7

CARO BC COC, Rev 2017-

CHAIN OF CUSTODY RECORD COC# B 68476 PAGE

TURNAROUND TIME REQUESTED:

RELINQUISHED BY:

Bet Silenieks TIME: 10:30 Product

REGULATORY APPLICATION:

O DA

DATE: 05/28

Show on Report

REPORT TO:	0		INVOICE TO: SAME AS REPORT TO															nadian Drinking Water Quality BC WQG BC HWR																	
COMPANY: City of Yack Suill	(Suille				COMPANY: Rush: 1 Day* 2 Day* 3 Day* BC CSR Soil: Other* Rush: 1 Day* CSR Water												SR Soil: WL AL PL RL-LD RL-HD CL IL SR Water: AW IW LW DW																		
company: City of Parksuill address: 1116 Herring Gull	W	44	ADDRESS:						**Contact Lab To Confirm. Surcharge May Apply CCME:										Water: AW																
											PROJECT NUMBER / INFO:															D: As				G: Strong Odour					
CONTACT: Back Silenieks CONTACT:																							Cyar PCB			E: He		Metals able		H: High Contamination I: Other (please specify*)					
TEL/FAX: 250 951-2489 250-248-	L/FAX: 250 951-2489 250-248-5412 LIVERY METHOD: EMAIL MAIL OTHER* DELIVERY METHOD: EMAIL MAIL OTHER*																ANA	LY	SES	RE	QU	ES.	TED):					· ·		7				
DELIVERY METHOD: EMAIL M MAIL OT	HER	₹* [DE	ELIVE	ERY METHOD: E	MAIL [MA	AIL []	OTHER*																								1	(S
DATA FORMAT: EXCEL SWATERTRAX ESC EQUIS BC EMS OT	dat HER	R*		ΛAIL ΛAIL											۲. ا				Hg	I														HOLD BOSSIDI E SAMDI E HATABO CODE(S)	DE
EMAIL 1: boilericks @parksvill	e.	ca	EV	лаіг Лаіг							_				Non-Chlor.					inc. pH						ij								0	2
EMAIL 2:	1										F				Non	HAA	ERBI		.VED	i.					HPC	E. coli								20 4	AKI
EMAIL 3:	10			O #:	7				100	pose.	PHC						H □	TAL	SSOL	(V															HAZ
** If you would like to sign up for ClientConnect and/		nviro ATR		in, C/	ARO's online serv		s, pl			ck here:	-		F2-F4	포	ated	OLS	AC	R TO	R DIS	SALN	☐ ALK	Ţ			MS	MS								č	P.E.
SAMPLED BY:			_	SS.						IIVILIVI 3.	VPH 🗌	VPH 🗌	PHCF	L/HEPH	lorin	GLYCOLS		ATE	ATE)IL (Q	MOG	FOR	POR								A BA	AM
	WAT	VATE		# CONTAINERS	DATE	TIME	NAT		E		>	> [PHENOLS Chlorinated] 6	PESTICIDES	METALS - WATER TOTAL	METALS - WATER DISSOLVED	METALS - SOIL (SALM)	E	□SGT □SSV □SST	BOD ☐ COD] Mc	FECAL COLIFORMS	TOTAL COLIFORMS	SO	4						II.	SLE.
	IKING	IER V	OTHER	JNC TNC	DATE	TIME	ORII	ERE	SER	(e.g. flow/volume media ID/notes)			L.	L L	NOL	8		TAL	TAL	TAL				9	AL (TAL (ASBESTOS	I					6	HOLD	SSIE
CLIENT SAMPLE ID:	DRIN	OTHER WATER	E E	Ü#	YYYY-MM-DD	нн:мм	꿈	FILTERED	ͳ	media iD/notes)	BTEX	700	EPH	PAH	PHE	PCB	ES	ME	ME	ME	Hd	TSS	BO	DOT	FEC	2	ASI	1					5	5 6	2
Community Park	V			2	2019-05-23	4:20)			ŷ.																		V							
Témple	~			2	2019-05-27	9:30																						V	•						
	V			2	2019-05-27	9:40				*																		V						T	
Ermineskin Public Works	V				2019-05-27		П																					V							_
105/12 0001 11 5																	\dashv										\vdash		\vdash					+	_
	+						Н	*								-	\dashv					-					\vdash	\vdash	$\vdash\vdash$		- 2	\vdash		+	_
	+	+	+	-			Н		+								_					-				L	⊢	\vdash	\vdash			\vdash	+	_	
	_	_	-	-						1																L	\perp	L		L				_	
		T				1971																													
	1	+	+						+										-								\vdash	\vdash	\vdash			\dashv	+	+	_
	+						Н	+	+		_										+	_					\vdash	\vdash	\vdash			\vdash	-	+	
SHIPPING INSTRUCTIONS: Return Cooler(s)	SAI	MDII	E DE	TEN	TION: * OTH	ER INSTRU	ICTI	ONE	\perp																CAI	AADI	FOR	CEL	PT CC	ONE	ITIO	NI.		\perp	
Supplies Needed:		Days (LN IIVS I KU	, (11	ONS	•																CO	OLE	R 1 (°C):	IL	1	ICF		N		
					ays 🗌 🛮 💆	2000	3	46	4																COOLER 1 (°C):										
	Oth	er (su	rchar	rges v	viii арріу):						.ho	6.110		la et ::										_			R 3 (ICE	: Y [N		
					ii you	would like t	o tal	IN LU S	urea	al live Scientist a	เมบน	. you	pro	ject r	equi	eme	iits,	hiea	se ci	ieck	iere:	1.1			CUS	2100	IT SE	ALS	NTAC	1: 1/	A	Y	N		